Dinesen Douglas

Price list

This price list was released on 15 December 2023.
All the listed prices are stated in GBP per m2.
All the listed prices are exclusive of VAT and delivery.

Dinesen

Bespoke solutions in wood since 1898

Dinesen has been creating bespoke solutions in wood since 1898. Our passion for wood and respect for nature have driven a craft-based approach that we have preserved and refined for generations. We deliver beautiful floor planks that bring you a piece of nature. To us, wood is the heart of a room and a source of well-being, calm and beauty. We create experiences that will awaken your senses and enrich your life as well as the lives of future generations.

Random lengths

Price list
01/05

Planks are delivered in random lengths, always as long as possible. Varying lengths produce a dynamic effect with fluid transitions between rooms that create a coherent expression. A floor in random lengths is a sustainable choice that maximises the utilisation of the raw wood. All the listed prices are stated per m2.



Random lengths	Thickness	Width	Length*	Classic	Natural
	28 mm	200 mm	1 - 5 m	94 GBP	66 GBP
		250 mm	1 - 5 m	104 GBP	73 GBP
			5 - 7 m	119 GBP	83 GBP
		300 mm	2 - 5 m	109 GBP	77 GBP
			5 - 7 m	125 GBP	88 GBP
		350 mm	2 - 5 m	120 GBP	84 GBP
			5 - 7 m	138 GBP	97 GBP
	35 mm	300 mm	2 - 5 m	120 GBP	84 GBP
			5 - 7 m	138 GBP	97 GBP
		350 mm	2 - 5 m	132 GBP	93 GBP
			5 - 7 m	152 GBP	107 GBP
		400 mm	2 - 5 m	145 GBP	102 GBP
			5 - 7 m	167 GBP	117 GBP
		450 mm	2 - 5 m	152 GBP	107 GBP
			5 - 7 m	174 GBP	122 GBP

*Our planks are produced in random lengths within a defined interval, for example 1–3 metres or 2–5 metres. We produce the planks continuously, based on the availability of raw wood, and aim for an average length in the middle of the interval with a small share of shorter and longer planks. The planks are profiled on all four sides.

Full Lengths

Price list
02/05

Full length planks are an elegant and exclusive solution where the planks extend in their full length from wall to wall and fill out the space. The clean lines create a harmonious look and underscore the architectural expression. A floor in full length planks appears simultaneously simple and grand. As the production of full length planks requires large amounts of raw wood, the delivery time may be longer. All the listed prices are stated per m2.

Full Lengths	Thickness	Width	Length*	Classic	Natural
	28 mm	200 mm	1 - 5 m	103 GBP	72 GBP
			5 - 7 m	119 GBP	83 GBP
		250 mm	1 - 5 m	115 GBP	80 GBP
			5 - 7 m	132 GBP	93 GBP
			7 - 10 m	145 GBP	102 GBP
		300 mm	1 - 5 m	120 GBP	84 GBP
			5 - 7 m	138 GBP	97 GBP
			7 - 10 m	152 GBP	107 GBP
			10 - 15 m	call	call
		350 mm	1 - 5 m	133 GBP	93 GBP
			5 - 7 m	152 GBP	107 GBP
			7 - 10 m	168 GBP	118 GBP
			10 - 15 m	call	call
	35 mm	300 mm	1 - 5 m	133 GBP	93 GBP
			5 - 7 m	152 GBP	107 GBP
			7 - 10 m	168 GBP	118 GBP
			10 - 15 m	call	call
		350 mm	1 - 5 m	146 GBP	102 GBP
			5 - 7 m	167 GBP	117 GBP
			7 - 10 m	184 GBP	129 GBP
			10 - 15 m	call	call
		400 mm	1 - 5 m	160 GBP	112 GBP
			5 - 7 m	184 GBP	129 GBP
			7 - 10 m	202 GBP	142 GBP
			10 - 15 m	call	call
		450 mm	1 - 5 m	167 GBP	117 GBP
			5 - 7 m	192 GBP	135 GBP
			7 - 10 m	212 GBP	148 GBP
			10 - 15 m	call	call

*Within the given intervals, the planks are combined on demand. You can choose between the following fixed lengths: 1.0 – 1.4 – 1.8 – 2.2 – 2.6 – 3.0 – 3.4 – 3.8 – 4.2 – 4.6 – 5.0 – 5.4 – 5.8 – 6.2 – 6.6 – 7.0 – 7.5 –8.0 – 8.5 – 9.0 – 9.5 – 10.0 – 10.5 – 11.0 – 11.5 – 12.0 – 12.5 – 13.0 – 13.5 – 14.0 – 14.5 – 15.0 m

Curated Widths

Price list
03/05

Planks are delivered in varying widths. This solution creates a dynamic and vibrant expression, as wider and narrower planks combine to form a coherent design solution. Curated Widths respects the round shape of the tree trunk, which naturally produces planks in varying dimensions, and maximises the lifespan of the raw wood. All the listed prices are stated per m2.



Curated Widths	Thickness	Width	Length	Classic	Natural
	28 mm	200, 250, 300 mm	1 - 5 m	93 GBP	72 GBP
	28 mm	200, 250, 300, 350 mm	1 - 5 m	98 GBP	76 GBP
	35 mm	300, 350, 400, 450 mm	2 - 5 m	125 GBP	88 GBP

Historical planks

Price list
04/05

Historical planks are conical, in clear reflection of the majestic douglas tree. The planks follow the shape of the tree trunk, as it varies from wide to narrow, thus making full use of the tree's natural proportions and ensuring a sustainable product. Historical planks create an original and coherent expression due to their extraordinary dimensions and unique shape. Historical planks are only available in the Classic variant. All the listed prices are stated per m2.



Full Lengths	Thickness	Width*	Length**	Classic
	28 mm	200 - 400 mm	1 - 5 m	131 GBP
			5 - 7 m	151 GBP
			7 - 10 m	166 GBP
			10 - 15 m	call
	35 mm	200 - 400 mm	1 - 5 m	145 GBP
			5 - 7 m	167 GBP
			7 - 10 m	184 GBP
			10 - 15 m	call

*The consultative width interval for Historical planks is 200–400 mm, measured in the middle of the plank. Due to the particular characteristics of our Historical planks, measurements may vary, depending how conical the individual plank is.

**Within the given intervals, the planks are combined on demand. You can choose between the following fixed lengths: 1.0 – 1.4 – 1.8 – 2.2 – 2.6 – 3.0 – 3.4 – 3.8 – 4.2 – 4.6 – 5.0 – 5.4 – 5.8 – 6.2 – 6.6 – 7.0 – 7.5 –8.0 – 8.5 – 9.0 – 9.5 – 10.0 – 10.5 – 11.0 – 11.5 – 12.0 – 12.5 – 13.0 – 13.5 – 14.0 – 14.5 – 15.0 m

Pattern

Price list
05/05

Pattern is solid pattern flooring with a twist. A contemporary interpretation of familiar patterns laid in planks in big dimensions. The large proportions take classic patterns to new heights and add exclusivity and character. All the listed prices are stated per m2.

Herringbone
Solid planks in a herringbone pattern is a timeless solution with a variety of beautiful expressions, depending on the specific design. Extraordinary dimensions make the classic pattern stand out with a distinctive character that attracts attention.



Mosaic
The mosaic pattern is a classic solution which achieves a new and elegant expression with solid planks in larger dimensions than what is traditionally used. The pattern can be individually customised and attracts attention with its extraordinary dimensions.



Bond
The planks are laid in bonds, allowing for a wide variety of design solutions that can be adapted to different dimensions. A traditional pattern floor that creates a beautiful effect as the solid planks slide past each other in a staggered composition.



Pattern	Thickness	Width	Length	Classic	Natural
	28 mm	200 mm	800 mm	88 GBP	67 GBP
		250 mm	1000 mm	103 GBP	80 GBP
		300 mm	1.200 mm	112 GBP	86 GBP
		350 mm	1.400 mm	121 GBP	92 GBP

Slender and straight, the Douglas fir towers up to 60 metres in the forest. One of nature's giants. This grand character is reflected in Dinesen Douglas, each plank showing the distinctive grain and slightly reddish tone. Nature's power and beauty are preserved in the planks, awaken our senses and last for generations.

Our Douglas planks create an elegant and harmonious expression with any choice of dimensions and composition. Choose between different variants, patterns, lengths and widths to achieve your desired impression – grand and extravagant, calm and exclusive or vibrant and dynamic. Every Dinesen Douglas solution reflects the high quality of the wood and captures the majesty of the douglas tree.

Dinesen Douglas is divided into two variants, each with its own expression that gives the planks their distinct character.

Douglas Classic

- Subtle structure with a classic expression
- Harmonious and calm
- Fewer knots

Douglas Natural

- Vibrant structure with a natural expression
- Authentic and warm
- More knots

Dinesen Douglas

Dinesen Douglas is made of raw wood sourced from the Black Forest and other European forests that have been family-owned for generations and sustainably managed for centuries. Douglas firs are felled when they are 80 to 120 years old. Since only the best make it through the eye of the needle, we strive to maximize the lifespan of the selected trees. The tree's posture, height and age are crucial for the quality and durability of the raw wood that turns into our Douglas planks. The planks are made from carefully selected wood from the lower 15 metres of the Douglas tree, while the rest of the wood is used elsewhere.

Throughout a long lifetime, the trees have demonstrated their resilience and ability to withstand the ravages of time. The result is mature trees characterized by excellent stability and durability. Thanks to the thorough selection process and extraordinary craftsmanship, the finished floor will last have at least as long a lifetime as the tree in the forest.

The 'eye of the needle'

To ensure top-quality planks, each tree is subjected to strict quality criteria for straightness, growth rings and knots. Only a select few meet the standards for a harmonious and enduring Dinesen product. In order to maximise the lifespan of the selected trees, we strive to utilise all of the raw wood.

Knots

A Dinesen floor is a piece of nature – a living material with its own story. Our goal is to deliver harmonious floors that bring you closer to nature. A knot is the part of a branch that is embedded in the trunk, and it tells the story of the tree's life and vitality. We wish to preserve the natural expression and bring out the beauty of the raw wood. As the knots are an important part of this story, we carefully repair or replace knots as part of our quality control. This improves the quality of the plank and ensures a respectful use of the tree. New knots are carefully attached with knot glue, and a hot-melt adhesive is used as a filler for any tiny gaps in the wood or knots that do not need to be replaced.

Based on the length, width and visual appearance of the plank, we assess the number and sizes of knots, medullar rays, pith repairs and so forth as the individual planks pass through our hands.

We cannot provide a precise specification but refer you to the images on the following pages. The photos show examples of planks in Classic and Natural variants and offer a representative, but not exhaustive, impression of their visual appearance, including grain and knots.



Douglas Classic

This variant contains planks with a subtle and calm structure with fewer knots and a classic, harmonious expression.

Photos are only indicative.

Douglas Natural

This variant contains planks with a dynamic structure with more knots and a natural, warm and authentic expression.

Photos are only indicative.

About the planks

This price list and photo series offers a representative but not exhaustive impression of the number of knots, grain structure and visual appearance overall. The price list does not cover all variants and natural occurrences. Thus, 2–3% of the planks must be expected to display minor deviations.

A Dinesen floor is a natural product in the best sense of the word and the sorting will thus always reflect the natural character of the wood.

The planks are CE-labelled and produced in accordance with Dinesen's factory standards with reference to EN 14342;2013. Declaration of Performance (DOP) is available at dinesen.com.

Drying, sorting and production take place at our factory in the town of Jels, Denmark. The planks are delivered with a moisture content of 8% +/- 1% and are suited for underfloor heating.

The planks are delivered unfinished and need to be sanded and finished as part of the installation. Dimensions and thicknesses are defined in the current price list, which is available at dinesen.com.

We refer you to our general guidelines for additional information.

Delivery times

Delivery times for the various dimensions and types vary and may in some cases be considerable. For more information on delivery time, please contact Dinesen on +45 7455 2140.

Installation

Always consult our instructions or contact our technical department at technical@dinesen.com or +45 7455 2140.

Underfloor heating

All Dinesen planks are suitable for underfloor heating.

Maintenance

We recommend Dinesen products for surface finish, care and maintenance. Our soaps are made specially for Dinesen floors. To preserve the beauty of your Dinesen floor, always use Dinesen floor care products. We cannot guarantee the durability or condition of the surface if you use alternative products. You can find a full range of floor care products in our web shop and view instruction videos at dinesen.com.

Certificates

Sustainable forestry is a part of Dinesen's DNA. We understand and respect the importance of nurturing the forest and supporting the professional forestry workers who tend the trees that turn into Dinesen's products. In order to promote and contribute to the preservation and development of sustainable forestry, we are FSC®- and PEFC™ certified. Dinesen products with FSC and PEFC certificates are available on request.

FSC
www.fsc.org
FSC® C111817
The mark of responsible forestry

PEFC
PEFC/09-31-152
Promoting Sustainable Forest Management
www.pefc.org

We do not accept any liability for printing errors.

Dinesen Floors a/s
Klovtoftvej 2, Jels
6630 Rødding, Denmark

T +45 7455 2140
E info@dinesen.com
dinesen.com

Dinesen